
AD-AU44 364
AIR FORCE ENVIRONMENTAL TECHNICAL APPLICATIONS CENTER—ETC
RAINFALL AND CLOUD CLIMATOLOGY FOR INDONESIA. (U)
JUN 77 C M CARTER
UNCLASSIFIED

LOFT
ACASTAGE
PRINT
FORT
OFFI

OFF





AD-A044364

UNITED STATES AIR FORCE AIR WEATHER SERVICE (MAC)

USAF ENVIRONMENTAL TECHNICAL APPLICATIONS CENTER

SCOTT AIR FORCE BASE, ILLINOIS 62225


Report 8343A

RAINFALL AND CLOUD CLIMATOLOGY FOR INDONESIA

by

C. Marshall Carter, CMSgt, USAF

June 1977



Approved for public release; distribution unlimited.

REVIEW AND APPROVAL STATEMENT

This report is approved for public release. There is no objection to unlimited distribution of this report to the public at large, or by DDC to the National Technical Information Service (NTIS).

This technical report has been reviewed and is approved for publication.

DEAN D. BOWMAN

Chief, Operational Applications Section

Reviewing Officer

FOR THE COMMANDER

WALTER S. BURGMANN

In home way the processing designation we come which we are the contract of the

Scientific and Technical

Information Officer (STINFO)

REPORT DOCUMENTATION	BEFORE COMPLETING FORM				
USAFETAC 8343A	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER			
RAINFALL AND CLOUD CLIMATOL FOR INDONESIA	5. TYPE OF REPORT & PERIOD COVERED FINAL 6. PERFORMING ORG. REPORT NUMBER				
C. Marshall Carter, CMSgt,	USAF	8. CONTRACT OR GRANT NUMBER(*)			
USAF Environmental Technical Applications Center Scott AFB, IL 62225		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS			
USAF Environmental Technical Applications Center Scott AFR. II. 62225	12. REPORT DATE June 1977 13. NUMBER OF PAGES 7				
14. MONITORING AGENCY NAME & ADDRESS(It ditterer	nt from Controlling Office)	Unclassified 15. DECLASSIFICATION/DOWNGRADING SCHEDULE			

Approved for public release; distribution unlimited.

17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)

18. SUPPLEMENTARY NOTES

19. KEY WORDS (Continue on reverse side if necessary and identify by block number)

Climatology Rainfall Cloud Cover Visibility Indonesia Lebongtandai, Sumatra Medan, Sumatra (over)

20. ABSTRACT (Continue on reverse side if necessary and identify by block number)

Monthly and annual rainfall amounts and cloud cover amounts (less than or equal to 1/8) with visibilities greater than or equal to 6 miles are presented for locations in Indonesia. The period of record of rainfall amounts varies from 26 to 63 years depending on the location while the period of record of cloud cover amounts and visibilities is 10 years.

DD 1 JAN 73 1473


to the hand the description of the second state of an

EDITION OF 1 NOV 65 IS OBSOLETE

UNCLASSIFIED

#19 Cont'd

Palembang, Sumatra
Padang, Sumatra
Djakarta, Java
Kupang, Timor
Semarang, Java
Denpasar, Bali
Pontianak, Borneo
Bandjermasin, Borneo
Makasar, Celebes
Poso, Celebes
Sukarnapura, New Guinea
Merauke, New Guinea
Biak Island
Banjumas, Java



And me way the graph was received man to consider the hours and the

iv

Preface

USAFETAC prepared this report in answer to a request from the Defense Mapping Agency for Climotological Data for Indonesia.

In the event that this report is incorporated into another report by the requester or any other agency, request that USAFETAC be given credit for the information and furnished a copy of the new report in all cases where such dissemination is not prohibited.

This report answers a specific request and is not expected to have application beyond that request. We recommend that further questions on this or related problems be referred to USAFETAC for consultation and study.

TABLE OF CONTENTS

Discussion .		Page 1
	ILLUSTRATIONS	
Figure 1.	Selected Rainfall Amounts for Sumatra	2
Figure 2.	Selected Rainfall Amounts for Java and the Lesser Sunda Islands	3
Figure 3.	Selected Rainfall Amounts for Borneo	4
Figure 4.	Selected Rainfall Amounts for Celebes	4
Figure 5.	Selected Rainfall Amounts for New Guinea	5
	TABLES	
Table 1.	Percentage Frequency of Cloud Cover < 1/8 with Visibility > 6 miles for Bandjermasin, Biak, Kupang, Makasar and Medan, Indonesia	6
Table 2.	Percentage Frequency of Cloud Cover < 1/8 with Visibility 6 miles for Banjumas, Denpasar, Djakarta and Semerang, Indonesia	7

RAINFALL AND CLOUD CLIMATOLOGY FOR INDONESIA

Rainfall is frequent over most of Indonesia. Few locations have less than 100 rainy days per year and a great many locations have 150 or more rainy days. The mean annual rainfall throughout Indonesia is 78.74 inches. In general, the heaviest rainfall occurs on the windward slopes, whereas the least amounts fall at sheltered leeward locations. Throughout most of Indonesia, the greatest amounts of rain fall during the afternoon and the evening, and the least amounts fall during the morning.

In northern Sumatra, the wettest period is October through January and the driest, June and July. In the south, it is comparatively dry June or July through August or September, while the wet period is October through February or March. Figure 1 depicts the rainfall in inches, by month, at selected locations in Sumatra.

Over Java and the Lesser Sunda Islands the wettest months are November or December through March, and the driest, May or June through September or October. Figure 2 depicts the rainfall in inches, by month, at selected locations in Java and the Lesser Sunda Islands.

Borneo is wettest from November through April and driest July through September. However, considerable rainfall amounts are recorded at most places during the driest months. Figure 3 depicts the rainfall in inches, by month, at selected locations in Borneo.

Rainfall distribution over the Celebes varies greatly from place to place. The northern and western coasts of the northern and southwestern peninsulas are wettest during December through February, whereas, the opposite coasts of these peninsulas and all the coasts of the remaining two peninsulas are generally their wettest during April through July. The driest period for most of the Celebes is August or September through October or November. Figure 4 depicts the rainfall in inches, by month, at selected locations in the Celebes.

The northern islands of the Moluccas are wettest on the northern coasts from January through March and on the southern coasts from May through July. The southern islands are wettest from December through April. Throughout the Moluccas, the driest months are August through October or November, except at Ambon and in southern Ceram where the dry period is November through February.


New Guinea experiences the wettest months from December or January through March or April in the northern and southern regions, May or June through September on the southern slopes and in the foothills, and in March or April through June or July in the remaining regions. Except on the southern slopes, the driest months are generally from June through November. Figure 5 depicts the rainfall in inches, by month, at selected locations in New Guinea.


Tables 1 and 2 provide percentage frequency of occurrence statistics for cloud cover less than or equal to 1/8 and visibility greater than or equal to 6 miles.

In him wife the present and rechain the comment with the case

a. Lebongtandai, Sumatra Annual Rainfall-234.1 in Period of Record-30 yr


b. Medan, Sumatra Annual Rainfall-79.3 in Period of Record-59 yr





c. Palembang, Sumatra
Annual Rainfall-100.2 in
Period of Record-53 yr

d. Padang, Sumatra
Annual Rainfall-175.3 in
Period of Record-48 yr



In him was the party water being the western with the are






Figure 1. Selected Rainfall Amounts for Sumatra.

a. Djakarta, Java Annual Rainfall-70.6 in Period of Record-63 yr


b. Rupang, Timor Annual Rainfall-55.6 in Period of Record-52 yr





c. Semarang, Java
Annual Rainfall-86.3 in
Period of Record-48 yr

d. Denpasar, Bali
Annual Rainfall-68.4 in
Period of Record-27 yr



to be an elle the property we were the same and the same the same and and




Figure 2. Selected Rainfall Amounts for Java and the Lesser Sunda Islands.

a. Pontianak, Borneo Annual Rainfall-125.2 in Period of Record-47 yr b. Bandjermasin, Borneo Annual Rainfall-93.3 in Period of Record-58 yr




Figure 3. Selected Rainfall Amounts for Borneo.




Figure 4. Selected Rainfall Amounts for Celebes.

a. Sukarnapura, New Guinea Annual Rainfall-99.5 in Period of Record-31 yr

b. Merauke New Ouinea Annual Rainfall-60.0 in Period of Record-50 yr




Figure 5. Selected Rainfall Amounts for New Guinea.

Table 1. Percentage Frequency of Cloud Cover < 1/8 with Visibility > 6 miles for Bandjermasin, Biak, Kupang, Makasar and Medan, Indonesia.

Location and Time	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
06-08L BANDJER BIAK KUPANG MAKASAR MEDAN	1.2	.0 .0 * *	2.9 .0 * .8	8.0 .0 * *	10.4 3.3 * *	18.5 .0 * *	18.9 5.3 * *	16.7 9.1 * *	15.9 .0 * .0	12.1 .0 * .7	3.4 .0 *	1.8 .0 *
09-11L BANDJER BIAK KUPANG MAKASAR MEDAN	.7 .9 1.0 .8 5.7	.0 .4 2.9 1.1	.0 .7 5.6 .3 4.2	1.8 .4 17.8 5.7	1.8 .0 18.1 5.9	3.4 1.1 19.0 9.0	4.8 .7 22.0 13.7 1.0	5.2 .4 26.5 19.3	3.7 .8 25.5 16.6	1.6 .4 16.8 6.5	.0 .0 7.6 3.2	.0 .4 3.8 .6
12-14L BANDJER BIAK KUPANG MAKASAR MEDAN	.0 .0 .0	.0 .0 .9 .0	.0 .0 1.0 .0	.0 .7 9.7 1.0	.5 .0 14.5 2.3	1.0 .0 18.8 .0	.5 .0 24.1 2.2 .8	1.3 .0 26.0 7.9	2.0 .0 28.7 10.6	.0 .0 12.3 6.0	.0 1.4 6.3 1.0	.0
15-17L BANDJER BIAK KUPANG MAKASAR MEDAN	.9	.9 .0 1.8 .0	.7 .0 1.8 .0	.0 1.1 12.7 .8	1.2 .0 16.5 1.8	3.1 .9 22.4 4.3	2.6 1.5 21.9 5.2 1.2	1.5 .5 26.3 14.7	2.5 .6 26.1 11.5	1.7 .0 12.6 7.6	.0 .0 5.3 .8	.0 .0 1.8 .0
18-20L BANDJER BIAK KUPANG MAKASAR MEDAN	.8 .0 1.5 1.5	2.1 .0 6.6 2.5 1.0	1.3 1.0 9.3 3.3	5.9 1.1 14.8 6.5	8.0 1.1 16.9 9.0	16.8 1.1 26.4 8.6	18.4 .0 17.9 27.7	20.1 3.2 18.6 36.8	15.5 .0 14.5 25.5	13.1 .0 12.4 18.7	5.1 .0 12.2 5.1	1.1 4.1 10.1 .0
ALL BANDJER BIAK KUPANG MAKASAR MEDAN	.7 .9 .6 .5	.5 .1 2.7 .8 .6	1.1 .7 4.5 .6	3.6 1.7 14.6 4.2	4.8 1.2 16.8 5.2	9.2 1.2 20.7 6.2	9.4 1.2 21.7 12.3	9.5 2.1 25.5 18.9	8.6 .9 24.8 16.4	6.2 .5 14.4 8.9	1.8 .7 7.5 3.1	.6 .7 3.3 .3

Period of Record: Jan 66 - Dec 76 (Kupang: Oct 66 - Dec 76)

And me way the property and and secretary was the second with the second second

^{*} Insufficient Data

Table 2. Percentage Frequency of Cloud Cover < 1/8 with Visibility > 6 miles for Banjumas, Denpasar, Djakarta and Semarang, Indonesia

Location and Time	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUC	SEP	ocr	NOV	DEC
00-02L												
BANJUMAS	.0	.0	.0	10.3	12.0	20.0	19.2	27.8	23.1	11.1	5.0	.0
DENPASAR	. 0	.0	.0	32.4	15.6	15.4	7.7	8.0	13.2	11.7	3.8	2.0
DJAKARTA	.0	.0	.0	13.3	.0	.0	36.4	6.3	4.2	.0	.0	.0
SEMARANG	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
03-05L												
BANJUMAS	*	*	*	*	*	*	*	*	*	*	*	*
DENPASAR	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
DJAKARTA	.0	.0	.0	6.3	.0	16.7	10.0	12.5	7.7	27.3	.0	.0
SEMARANG	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
06-08L												
BANJUMAS	1.2	.0	2.9	8.0	10.4	18.5	18.9	16.7	15.9	12.1	3.4	1.8
DENPASAR	1.9	2.7	2.7	12.3	6.9	9.4	4.7	10.1	5.9	7.4	3.9	2.1
DJAKARTA	.0	. 0	.0	.0	2.4	6.3	8.6	16.7	7.0	5.6	.0	1.4
SEMARANG	.0	.0	.0	.0	.0	10.0	22.2	18.2	30.0	12.5	.0	.0
09-11L												
BANJUMAS	.7	.0	.0	1.8	1.8	3.4	4.8	5.2	3.7	1.6	.0	.0
DENPASAR	2.5	1.4	2.2	7.4	4.9	7.7	5.8	6.4	7.9	4.8	3.7	1.1
DJAKARTA	.0	.0	.0	2.6	2.3	20.8	17.5	16.9	6.1	4.8	.0	.0
SEMARANG	1.8	.0	.0	1.8	2.6	14.6	19.0	15.9	15.6	2.4	.0	.0
12 145												
12-14L	0	0	0	0	-	1 0	-	1 2	2 0	0	0	0
BANJUMAS	.0	.0	.0	.0	.5	1.0	.5	1.3	2.0	.0	.0	.0
DENPASAR	1.8	1,. 2	1.2	9.8	9.7	7.9	7.3	14.4	10.0	7.9	4.8	1.3
DJAKARTA	.0	.0	.0	.0	.0	7.7	2.5	1.3	2.7	.0	.0	.0
SEMARANG	.0	.9	.0	.5	1.6	3.3	7.9	3.9	3.0	1.1	. 7	.0
15-17L												
BANJUMAS	. 9	. 9	. 7	.0	1.2	3.1	2.6	1.5	2.5	1.7	.0	.0
DENPASAR	3.5	1.6	.0	8.6	8.0	11.1	15.4	17.8	14.1	6.4	2.8	1.0
DJAKARTA	. 0	. 0	.0	.0	.0	14.0	1.8	4.3	3.3	.0	1.7	.0
SEMARANG	.0	.0	.0	.0	.9	.0	3.1	3.6	. 6	.9	1.1	.0
18-20L												
BANJUMAS	. 8	2.1	1.3	5.9	8.0	16.8	18.4	20.1	15.5	13.1	5.1	1.1
DENPASAR	4.6	. 9	2.4	10.4	10.8	20.5	17.9	18.9	14.5	4.2	3.7	2.4
DJAKARTA	.0	.0	.0	.0	. 0	11.5	5.6	4.1	4.3	.0	.0	.0
SEMARANG	. 0	.0	.0	.0	5.6	.0	3.6	5.3	4.8	.0	.0	.0
21-23L												
BANJUMAS	.0	.0	.0	.0	.0	.0	.0	.0	.0	8.3	.0	.0
DENPASAR	.0	.0	.0	15.4	20.0	18.8	21.4	. 0	20.8	2.9	4.8	2.9
DJAKARTA	.0	.0	.0	6.1	.0	5.0	17.4	3.7	3.2	2.6	.0	.0
SEMARANG	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
ALL												
BANJUMAS	.7	.5	1.1	3.6	4.8	9.2	9.4	9.5	8.6	6.2	1.8	.6
DENPASAR	2.6	1.5	1.7	10.8	8.3	10.8	9.4	12.9	10.6	6.4	3.9	1.6
DJAKARTA	.0	.0	.0	2.1	.9	11.5	10.3	8.2	4.7	2.9	.3	.3
SEMARANG	. 4	.4	.0								.5	
DEPARANG	. 4	. 4	. 0	.7	1.8	5.1	9.3	6.7	5.6	1.6	. 5	.0

Period of Record: Jan 66 - Dec 76

In him was the present and resident many resemble to the way and the

^{*} Insufficient Data